







Model	Ime proizvoda	Slika proizvoda	Tehničke karakteristike		MPC (kn)
1	KL-MR16-COB-3W-35°-C		Baza	MR16	105,00
			Snaga	3W	
			Napon	DC12V	
			Lumeni	250-300LM	
			Stupnjevi	35°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*53mm	
			Materijal	Aluminijska legura	
2	KL-MR16-COB-5W-35°-C		Baza	MR16	127,50
			Snaga	5W	
			Napon	DC12V	
			Lumeni	400-450LM	
			Stupnjevi	35°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*57mm	
			Materijal	Aluminijska legura	
3	KL-GU10-COB-3W-80°-C		Baza	GU10 / E27	105,00
			Snaga	3W	
			Napon	AC85-265V	
			Lumeni	250-300LM	
			Stupnjevi	80°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*61.5mm	
			Materijal	Aluminijska legura	
4	KL-GU10-COB-5W-80°-C		Baza	GU10 / E27	127,50
			Snaga	5W	
			Napon	AC85-265V	
			Lumeni	400-450LM	
			Stupnjevi	80°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*66.5mm	
			Materijal	Aluminijska legura	
			Baza	GU10 / E27	






5	KL-E27-COB-3W-C / KL-E27-COB-5W-C		Snaga	3W/5W	3Watt: 110,00  5Watt: 127,50
			Napon	AC85-265V	
			Lumeni	250-300LM/400-450LM	
			Stupnjevi	35°,80°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*75mm	
			Materijal	Aluminijska legura	
6	KL-MR16-COB-6W-80°-C		Baza	MR16	135,00
			Snaga	6W	
			Napon	DC12V	
			Lumeni	500-550LM	
			Stupnjevi	35°,80°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*65mm	
			Materijal	Aluminijska legura	
7	KL-GU10-COB-6W-80°-C		Baza	GU10 / E27	135,00
			Snaga	6W	
			Napon	AC85-265V	
			Lumeni	500-550LM	
			Stupnjevi	35°,80°	
			Boja	WW,NW,W	
			Dimenzije	φ49.5*71mm	
			Materijal	Aluminijska legura	
8	KL-PAR20-COB-5W-C / KL-PAR20-COB-6W-C		Baza	GU10 / E27	5W: 138,00  6W: 145,00
			Snaga	5W / 6W	
			Napon	AC85-265V	
			Lumeni	350-400LM/500-550LM	
			Stupnjevi	80°	
			Boja	WW,NW,W	
			Dimenzije	φ61*81mm	
			Materijal	Aluminijska legura	
9	KL-PAR30-COB-10W-C		Baza	GU10 / E27	335,00
			Snaga	10W	
			Napon	AC85-265V	
			Lumeni	950-1000LM	
			Stupnjevi	80°	
			Boja	WW,NW,W	
			Dimenzije	φ93*101.5mm	
			Materijal	Aluminijska legura	
		Baza	E27		

10	KL-PAR30-COB-9W-C		Snaga	9W	230,00
			Napon	AC85-265V	
			Lumeni	800-850LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ95*123mm	
			Materijal	Aluminijska legura	
11	KL-PAR30-COB-16W-C		Baza	GU10 / E27	402,00
			Snaga	16W	
			Napon	AC85-265V	
			Lumeni	1550-1600LM	
			Stupnjevi	80°	
			Boja	WW,NW,W	
			Dimenzije	φ121*121.5mm	
			Materijal	Aluminijska legura	
12	KL-PAR30-COB-13W-C		Baza	E27	270,00
			Snaga	13W	
			Napon	AC85-265V	
			Lumeni	1200-1350LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ122*140mm	
			Materijal	Aluminijska legura	
13	KL-MR16-3A-C		Baza	MR16	3w: 79,50 5w: 92,00
			Snaga	3W/5W	
			Napon	DC12V/AC85-265V	
			Lumeni	250LM/400LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ50*52mm	
			Materijal	Aluminijska legura	
14	KL-MR16-3A1		Baza	MR16	3w: 92,00 5w: 104,00
			Snaga	3W/5W	
			Napon	DC12V/AC85-265V	
			Lumeni	250LM/400LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*53.5mm	
			Materijal	Aluminijska legura	
			Baza	MR16	

15	KL-MR16-4B-C		Snaga	5W	127,50
			Napon	DC12V/AC85-265V	
			Lumeni	350LM/400LM	
			Stupnjevi	30°,45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*52.5mm	
			Materijal	Aluminijska legura	
16	KL-MR16-4C-C		Baza	MR16	118,00
			Snaga	4W	
			Napon	DC12V/AC85-265V	
			Lumeni	350LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*52mm	
Materijal	Aluminijska legura				
17	KL-MR16-RGB-C		Baza	MR16	167,50
			Snaga	4W	
			Napon	DC12V/AC85-265V	
			Lumeni	/	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ48*52mm	
Materijal	Aluminijska legura				
18	KL-GU10-3A-C		Baza	GU10 / E27	3w: 87,90  5w: 100,00
			Snaga	3W/5W	
			Napon	DC12V/AC85-265V	
			Lumeni	250LM/400LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ50*60.5mm	
Materijal	Aluminijska legura				
19	KL-GU10-3A1-C		Baza	GU10 / E27	3w: 96,00  5w: 108,00
			Snaga	3W/5W	
			Napon	DC12V/AC85-265V	
			Lumeni	250LM/400LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*54mm	
Materijal	Aluminijska legura				
			Baza	GU10 / E27	


20	KL-GU10-4B-C		Snaga	5W	127,50
			Napon	DC12V/AC85-265V	
			Lumeni	350LM/400LM	
			Stupnjevi	30°,45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*62mm	
			Materijal	Aluminijska legura	
21	KL-GU10-4C-C		Baza	GU10 / E27	135,00
			Snaga	4W	
			Napon	DC12V/AC85-265V	
			Lumeni	350LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ50*60mm	
			Materijal	Aluminijska legura	
22	KL-E27-RGB-C		Baza	E27	167,50
			Snaga	4W	
			Napon	DC12V/AC85-265V	
			Lumeni	/	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	φ48*63mm	
			Materijal	Aluminijska legura	
23	KL-PAR20-3A-C		Baza	GU10/E27	3w: 100,00
			Snaga	3W/6W	
			Napon	AC85-265V	
			Lumeni	250LM/480LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ61*80.5mm	
			Materijal	Aluminijska legura	
24	KL-PAR20-3B-C		Baza	GU10/E27	6w: 115,00
			Snaga	3W/6W	
			Napon	AC85-265V	
			Lumeni	250LM/480LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ60*80mm	
			Materijal	Aluminijska legura	
			Baza	GU10/E27	

25	KL-PAR30-5A-C		Snaga	5W/10W	5w: 255,00
			Napon	AC85-265V	
			Lumeni	400LM/650LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ94.5*100.5mm	
			Materijal	Aluminijska legura	
26	KL-PAR30-5B-C		Baza	GU10/E27	10w: 276,00
			Snaga	5W/10W	
			Napon	AC85-265V	
			Lumeni	400LM/650LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ92.5*100.5mm	
Materijal	Aluminijska legura				
27	KL-PAR30-7A-C		Baza	GU10/E27	7w: 267,00
			Snaga	7W/12W	
			Napon	AC85-265V	
			Lumeni	500LM/840LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ94.5*100.5mm	
Materijal	Aluminijska legura				
28	KL-PAR30-3B-C		Baza	GU10/E27	12w: 293,00
			Snaga	7W/12W	
			Napon	AC85-265V	
			Lumeni	500LM/840LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ92.5*100.5mm	
Materijal	Aluminijska legura				
29	KL-PAR38-9A-C		Baza	GU10/E27	9W: 376,00
			Snaga	9W/15W	
			Napon	AC85-265V	
			Lumeni	650LM/950LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ121*108.5mm	
Materijal	Aluminijska legura				
			Baza	GU10/E27	15W:

30	KL-PAR38-9B-C		Snaga	12W/18W	409,00
			Napon	AC85-265V	
			Lumeni	840LM/1100LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ122*109.5mm	
			Materijal	Aluminijska legura	
31	KL-PAR38-12A-C		Baza	GU10/E27	12w: 397,00
			Snaga	12W/18W	
			Napon	AC85-265V	
			Lumeni	840LM/1100LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ121*119.5mm	
			Materijal	Aluminijska legura	
32	KL-PAR38-12B-C		Baza	GU10/E27	18w: 439,00
			Snaga	12W/18W	
			Napon	AC85-265V	
			Lumeni	840LM/1100LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ122*120..5mm	
			Materijal	Aluminijska legura	
33	KL-AR111-9A-C		Baza	G53	450,00 (uključen je driver)
			Snaga	9W	
			Napon	AC85-265V(with external driver)	
			Lumeni	650LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ111*61.5mm	
			Materijal	Aluminijska legura	
34	KL-AR111-7B-C		Baza	G53	450,00 (uključen je driver)
			Snaga	7W/11W	
			Napon	AC85-265V(with external driver)	
			Lumeni	500LM/800LM	
			Stupnjevi	15°, 30°,45°,60°	
			Boja	WW,NW,W	
			Dimenzije	φ111*61.5mm	
			Materijal	Aluminijska legura	
		Baza	E27		

35	KL-BL01-5W-C / KL-BL01-7W-C		Snaga	5W / 7W	5w: 150,00 7w: 227,90
			Napon	AC85-265V	
			Lumeni	350-600LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ60*115mm	
			Materijal	Alu + PC pokopac	
36	KL-BL02-8W-C		Baza	E27	190,00
			Snaga	8W	
			Napon	AC85-265V	
			Lumeni	650-700LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Materijal	Alu + PC pokopac	
37	KL-BL03-5W-C		Baza	E27	115,00
			Snaga	5W	
			Napon	AC85-265V	
			Lumeni	350-400LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Materijal	Alu + PC pokopac	
38	KL-BL03-7W-C		Baza	E27	135,00
			Snaga	7W	
			Napon	AC85-265V	
			Lumeni	500-600LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Materijal	Alu + PC pokopac	
39	KL-BL03-10W-C		Baza	E27	175,00
			Snaga	10W	
			Napon	AC85-265V	
			Lumeni	700-850LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Materijal	Alu + PC pokopac	
			Baza	E14	



40	KL-CL-3W-001-C		Snaga	3W	115,00
			Napon	AC85-265V	
			Lumeni	180-200LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ35*102mm	
			Materijal	Alu + PC pokopac	
41	KL-CL-3W-002-C		Baza	E14	115,00
			Snaga	3W	
			Napon	AC85-265V	
			Lumeni	180-200LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ35*102mm	
			Materijal	Alu + PC pokopac	
42	KL-CL-3W-003-C		Baza	E14	115,00
			Snaga	3W	
			Napon	AC85-265V	
			Lumeni	180-200LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ36*134mm	
			Materijal	Alu + PC pokopac	
43	KL-CL-3W-004-C		Baza	E14	115,00
			Snaga	3W	
			Napon	AC85-265V	
			Lumeni	180-200LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ36*134mm	
			Materijal	Alu + PC pokopac	
44	KL-CL-3W-005-C		Baza	E14	135,00
			Snaga	3W / 5W	
			Napon	AC85-265V	
			Lumeni	180-300LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ51.4*143mm	
			Materijal	Alu + PC pokopac	
		Baza	E27		

45	KL-CL-3W-006-C		Snaga	3W / 5W	135,00
			Napon	AC85-265V	
			Lumeni	180-300LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	Φ41.5*135mm	
			Materijal	Alu + PC pokopac	
46	KL-DL01-9W-C		Snaga	9W (±1W)	289,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	500-580LM	
			Stupnjevi	30° / 45° / 60°	
			Boja	WW,NW,W	
			Dimenzije	Φ85*105mm	
			Materijal	Aluminijska legura	
47	KL-DL02-10W-C		Snaga	10W (±1W)	422,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	650-700LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ81*83mm / Φ90*82mm /	
			Materijal	Aluminijska legura	
48	KL-DL02-15W-C		Snaga	15W (±1W)	514,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	820-900LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ90*108mm / Φ105*84mm	
			Materijal	Aluminijska legura	
49	KL-DL02-18W-C		Snaga	18W (±1W)	575,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	990-1080LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ105*99mm	
			Materijal	Aluminijska legura	
50	KL-DL03-10W-C		Snaga	10W (±1W)	386,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	650-700LM	
			Stupnjevi	60°	
			Boja	WW,NW,W	

			Dimenzije	Φ81*80mm	
			Materijal	Aluminijska legura	
51	KL-DL03-15W-C		Snaga	15W (±1W)	483,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	820-900LM	
			Stupnjevi	60°	
			Boja	WW,NW,W	
			Dimenzije	Φ90*80mm	
			Materijal	Aluminijska legura	
52	KL-DL03-18W-C		Snaga	18W (±1W)	610,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	990-1080LM	
			Stupnjevi	45°	
			Boja	WW,NW,W	
			Dimenzije	Φ110*83mm	
			Materijal	Aluminijska legura	
53	KL-DL04-13W-C		Snaga	13W (±1W)	540,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	650-750LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ108*107mm	
			Materijal	Aluminijska legura	
54	KL-DL05-13W-C		Snaga	13W (±1W)	463,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	650-750LM	
			Stupnjevi	60°	
			Boja	WW,NW,W	
			Dimenzije	92*92mm	
			Materijal	Aluminijska legura	
55	KL-DL06-13W-C		Snaga	13W (±1W)	439,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	650-750LM	
			Stupnjevi	60°	
			Boja	WW,NW,W	
			Dimenzije	Φ85*106mm	
			Materijal	Aluminijska legura	
			Snaga	15W (±1W)	
			Napon	AC:100-240V 50/60Hz	
			Lumeni	980-1050LM	

56	KL-DL07-15W-C		Stupnjevi	90°	527,00
			Boja	WW,NW,W	
			Dimenzije	Φ110*92mm	
			Materijal	Aluminijska legura	
57	KL-DL08-15W-C		Snaga	15W (±1W)	527,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	980-1050LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ108*75.9mm	
			Materijal	Aluminijska legura	
58	KL-DL09-13W-C		Snaga	13W (±1W)	364,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	910-980LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ110*38mm	
			Materijal	Aluminijska legura	
59	KL-DL10-13W-C		Snaga	13W (±1W)	364,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	910-980LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	110*110mm	
			Materijal	Aluminijska legura	
60	KL-DL11-18W-C		Snaga	18W (±1W)	461,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	1260-1350LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ145*52mm	
			Materijal	Aluminijska legura	
61	KL-DL11-20W-C		Snaga	20W (±1W)	514,00
			Napon	AC:100-240V 50/60Hz	
			Lumeni	1400-1500LM	
			Stupnjevi	90°	
			Boja	WW,NW,W	
			Dimenzije	Φ172*78mm	
			Materijal	Aluminijska legura	
			Snaga	25W (±1W)	
			Napon	AC:100-240V 50/60Hz	

75	KL-R7S-8W-C		Baza	R7S	283,00
			Snaga	8W	
			Napon	AC85-265V	
			Lumeni	660-700LM	
			Stupnjevi	200°	
			Boja	WW,NW,W	
			Dimenzije	Φ54*118mm	
			Materijal	Aluminum	
76	KL-R7S-10W-C		Baza	R7S	299,00
			Snaga	10W	
			Napon	AC85-265V	
			Lumeni	800-850LM	
			Stupnjevi	200°	
			Boja	WW,NW,W	
			Dimenzije	Φ54*118mm	
			Materijal	Aluminum	
77	KL-R7S-12W-C		Baza	R7S	334,00
			Snaga	12W	
			Napon	AC85-265V	
			Lumeni	1000-1050LM	
			Stupnjevi	200°	
			Boja	WW,NW,W	
			Dimenzije	Φ54*135mm	
			Materijal	Aluminum	
78	KL-R7S-13W-C		Baza	R7S	353,00
			Snaga	13W	
			Napon	AC85-265V	
			Lumeni	1080-1100LM	
			Stupnjevi	200°	
			Boja	WW,NW,W	
			Dimenzije	Φ54*189mm	
			Materijal	Aluminum	
79	KL-R7S-15W-C		Baza	R7S	372,00
			Snaga	15W	
			Napon	AC85-265V	
			Lumeni	1300-1350LM	
			Stupnjevi	200°	
			Boja	WW,NW,W	
			Dimenzije	Φ54*189mm	
			Materijal	Aluminum	

80	KL-G24-7W-C		Baza	G24 / G23 /E27	193,00
			Snaga	7W 5050SMD	
			Napon	AC85-265V	
			Lumeni	550-683LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	35*H140mm	
			Materijal	Alu + PC pokopac	
81	KL-G24-9W-C		Baza	G24 / G23 /E27	202,00
			Snaga	9W 5050SMD	
			Napon	AC85-265V	
			Lumeni	722-803LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	35*H140mm	
			Materijal	Alu + PC pokopac	
82	KL-G24-11W-C		Baza	G24 / G23 /E27	218,00
			Snaga	11W 5050SMD	
			Napon	AC85-265V	
			Lumeni	800-900LM	
			Stupnjevi	120°	
			Boja	WW,NW,W	
			Dimenzije	35*H165mm	
			Materijal	Aluminum	